

## **Executive Summary**

### **[Characteristic References](#)**

105 of your selected characteristics are referenced by other characteristics.

## Characteristic References

This report shows all characteristics that are being referenced by another characteristic.

Characteristic	Description	Referencing characteristics	Description (referencing characteristics)
OADDR_LINE0	Address Line 0	OADDR_LINE9	Address Line 9
	-	OADDR_LINE8	Address Line 8
	-	OADDR_LINE7	Address Line 7
	-	OADDR_LINE6	Address Line 6
	-	OADDR_LINE5	Address Line 5
	-	OADDR_LINE4	Address Line 4
	-	OADDR_LINE3	Address Line 3
	-	OADDR_LINE2	Address Line 2
	-	OADDR_LINE1	Address Line 1
OCDM_RISC	Risk Class	OCDM_RICA	Risk Class Calculated
OCDM_SCOR	Score	OCDM_SCCA	Score Calculated
OCIOKEYMDM	object key in master data server	OOKEYSCAT	Std. Category: CI Object Key
OCITYPMDM	object type in master data server	OOTYPSCAT	Std. Category: CI Object Type
OCITY40	BAS: 40-Character Place Name	OPOBOX_LOC	BAS: PO Box Location
	-	OCITY_2	BAS: City District
	-	OCITY_1	BAS: District
OCI_CATEG	Category ID for Key Mapping	OCI_TO_CAT	Target Category for Targeted Key Maps
	-	OCI_FRO_CAT	Source Category for Targeted Key Maps
OCI_CIBEOTY	Backend Object Type from Content Integrator CI	OCI_TO_OBT	Goal of Targeted Key Maps: Object Type
	-	OCI_FRO_OBT	Source of Targeted Key Maps: Object Type
	-	OCIoTSSCAT	CI object type of CI standard sales category
	-	OCIoTSPCAT	CI object type of CI standard purchase category
OCI_LOCALID	Local ID of an Object	OCI_TO_LID	Goal of Targeted Key Maps: Key
	-	OCI_FRO_LID	Source of Targeted Key Maps: Key
OCOMPANY	Company	OREQ_COMPAN	Requesting company
	-	OPCOMPANY	Partner Company Number
OCOMP_CODE	Company code	OREQ_COMCOD	Requesting company code
	-	OJV_INTCC	Partner Company Code
OCOSTCENTER	Cost Center	ORESP_CCTR	Responsible cost center
	-	OREQU_CCTR	Requesting cost center
	-	OMAST_CCTR	Master Cost Center
OCOSTELMNT	Cost Element	OCOPACRMCLM	Allocation Cost Element CRM
OCOUNTRY	Country Key	OPOBOX_CTY	BAS: PO Box Country

Characteristic	Description	Referencing characteristics	Description (referencing characteristics)
OCOUNTRYISO	ISO Code for Country	ODB_COUNMA	Mail Address Country ISO Code
	-	ODB_COUNHQ	HQ / Parent Country ISO Code
	-	ODB_COUNGU	Global Ultimate ISO Code Country
OCO_AREA	Controlling area	OCO_MST_AR	Controlling Area of Master Cost Center
OCPR_NAME	User Name	OCPR_DECBY	Decision Maker
OCPR_OK	OK Indicator	OCPR_OBLGAT	Mandatory Indicator
	-	OCPR_NOK	Not OK Indicator
	-	OCPR_APPREL	Approval-Relevant Indicator
	-	OCPR_ACTVER	Active Version of Approval
OBOOL	Truth Value	ORSPL_FCZR	Ignore Initial Zeros
	-	ORSPL_FCTDM	Trend Dampening
	-	ORSPL_FCSP0	Sporadic Forecast
	-	ORSPL_FCLOG	Log Statistical Key Figures
OBPARTNER	Business Partner	OPRCA_RESP	Product Category: Person Responsible
	-	OCRM_TRPERS	Territory Person responsible
	-	OCRM_SND_PT	Business Partner for Sender Address Determination
	-	OCRM_CLHOUS	Clearinghouse
	-	OCPR_BPARTN	Employee (Resource)
	-	OBP_RESPPER	Employee Responsible
	-	OBP_CONS	Business Partner (Consolidated/Cleansing)
	-	OBPARTNER2	BP in a BP Relationship ('Partner 2')
	-	OBPARTNER1	BP in a BP Relationship ('Partner 1')
	-	OBBP_VENDOR	Vendor from Business Partner Table
OBP_ACTITLE	Academic Title	OBP_ACTITL2	Second Academic Title
	-	OBP_ACTITL1	First Academic Title
OBRNCHSTDY	Specialty	OBRNCHSTDY2	Branch of Study 2
	-	OBRNCHSTDY1	Branch of Study 1
OGN_CAT_PUR	Purchase Category	OCI_SPURCAT	Standard Category for Reporting
OGN_CAT_SAL	Sales Category	OCI_SSALCAT	Standard Category for Reporting
OHC_AGENT	Active Ingredient	OHC_AGENT3	Active Ingredient 3
	-	OHC_AGENT2	Active Ingredient 2
	-	OHC_AGENT1	Active Ingredient 1 (Main Active Ingredient)
OHC_MCTGTYP	Type of a Medical Category	OHC_ATCMTYP	Type of Med. Category for ATC Code
OHC_MEDCTG	Medical Category	OHC_ATCCODE	ATC Code
OHOUSE_NUM	BAS: House Number	OHOUSE_NUM2	BAS: House Number Supplement
	-	OHOUSE_NUM1	BAS: House Number
OHR_OBJTYPE	HR Object Type	OAPPRSRTYPE	Type of Appraiser

Characteristic	Description	Referencing characteristics	Description (referencing characteristics)
	-	OAPPRSETYPE	Type of Appraiser
OH_NODEID	Technical Node ID of Node in Hierarchy	OH_PARENTID	Technical ID of Higher-Level Hierarchy Node
	-	OH_NEXTID	Technical ID of Same-Level Hierarchy Node
	-	OH_CHILDID	Technical ID of First Child Hierarchy Node
OIND_CODE	Industry code	OIND_CODE_2	Industry Code 2
	-	OIND_CODE_1	Industry code 1
OINFOPROV	InfoProvider	OTCAIPROV	Authorizations for InfoProvider
	-	ORSPL_BASIS	Basic InfoProvider for Determining Plan-Specific Chars.
OECLASS	eCl@ss	OECLASS_AC	Current eCl@ss
	-	OECLASS_56	Third Segment of Current eCl@ss
	-	OECLASS_34	Second Segment of Current eCl@ss
	-	OECLASS_12	First Segment of Current eCl@ss
OECLASS_VS	Version of eCl@ss	OECLASS_AV	Current Version of eCl@ss
OEMPLOYEE	Employee	OUC_WEMPL3	Employee 3
	-	OUC_WEMPL2	Employee 2
	-	OUC_WEMPL1	Employee 1
	-	OTRAVELER	Traveler
	-	OSUCCESSORN	Position Successors
	-	OREFEMPL	Reference Employee
	-	OPSM_EMPL_R	Assigned Employee
	-	OPROCESSOR	Processor of Process Step
	-	OHE_INSTRC	Instructor
	-	OHAP_AR_EMP	Appraiser Employee
	-	OHAP_AE_EMP	Appraisee Employee
	-	OEMPL_ACCNT	Employee for G/L Account
	-	OCRM_RESPER	Responsible agent
	-	OCP_EMPLOY	Cost Object Employee
	-	OCNTCTEMPL	Contact Employee
	-	OACTRESP	Person Responsible for Activity (Personnel Number)
	-	OACTEXEP	Person Executing Activity (Personnel Number)
OFLAG	Indicator, Flag	OIS_REPAY	Indicator: Repayment Obligation
	-	OFLGDELETED	Indicator: Object Deleted from Source System
	-	OEC_XINSI	Indicator: Employee has Access to Insider Information
	-	OEC_XDIRC	Indicator: Employee has Director Function

Characteristic	Description	Referencing characteristics	Description (referencing characteristics)
	-	OCRM_RECCMP	Flag: Recurring Campaign
	-	OCB_BEX	BEx Reporting Enabled
OGL_ACCOUNT	G/L Account	ORC_ACCOUNT	Reconciliation Account
OGN_BWBEOY	Back-End Object Type for InfoObjects in BW	OCI_SCAT_TY	Standard Category Object Type
OAPO_LOCNO	APO Location	OAPO_VMILOC	APO VMI Location
	-	OAPO_PLLOC	APO Plant for MRP Area
	-	OAPO_LOCFR	APO Start Location (of a Transportation Lane)
OAPO_RESNAM	APO Resource	OAPO_STORES	APO Storage Resource
	-	OAPO_OHNDRS	APO Outbound Handling Ressource
	-	OAPO_HNDRES	APO Handling Resource
OBAL_FLAG	Indicator: G/L Account is Balance Sheet Account	ODEL_INDIC	Deletion Flag for Customer (Sales Level)
OBBP_FLAG	Indicator	OBBP_ISCOMP	Organizational Unit is Company
OCRM_F_CONS	CRM: BP is Consumer	OCUS_F_CONS	Customer is Consumer
OCRM_MKTELM	CRM Marketing Element (Campaign and Marketing Plan)	OCRM_CMPLNK	Trade Promotion: Campaign Reference
OCRM_PROD	Product	OCRM_PREF	Reference Product for Individual Objects
	-	OCRM_PRCONF	CRM Product: Configuration Product GUID
OCURTYPE	Currency Type	OCURTP_PCA	Currency Type of Profit Center Local Currency
ODBPOSTCOD	Postal Code	ODBULPOSCO	Domestic Ultimate: Postal Code
	-	ODBMPOSTCO	Mail Address: Postal Code
	-	ODBHQPOSCO	HQ/Parent: Postal Code
	-	ODBGUPOSCO	Global Ultimate : Postal Code
ODBSTATPRV	State/Province	ODBULSTPR	Domestic Ultimate: State/Province Name
	-	ODBMSTPRNA	Mail Address: State/Province Name
	-	ODBHQSTPR	HQ/Parent: State/Province
	-	ODBGUSTPR	Global Ultimate : State/Province Name
ODBSTPRABB	State/Province Abbr.	ODBULSTABB	Domestic Ultimate: State/Province Abbr.
	-	ODBMSTPRAB	Mail Address: State/Province Abbr.
	-	ODBHQSTABB	HQ/Parent: State/Province Abbr
	-	ODBGUSTABB	Global Ultimate : State/Province Abbr.
ODBSTPRCOD	State/Province Code	ODBMSTPRCO	Mail Address: State/Province Code
ODISTR_CHAN	Distribution Channel	ORMA_VTWEG	Cost Allocation Distribution Channel
ODIVISION	Division	ODIV_HEAD	Division for order header
OLOGSYS	Source System	OUSER_SYST	System where user name is valid
	-	OGN_PAR_LSY	Logical System for Partner
	-	OCI_TO_SYID	Goal of Targeted Key Maps: Logical

Characteristic	Description	Referencing characteristics	Description (referencing characteristics)
			System
	-	OCI_SCATLSY	Logical System of Standard Category
	-	OCI_PROSYID	Logical System for Product
	-	OCI_OBJSYID	Logical System of Object
	-	OCI_FROSYID	Source of Targeted Key Maps: Logical System
OMATERIAL	Material	OCNSTR_MAT	Construction type material of technical object
OMEASURE	Key Figure	OSEM_POSIT	Planning Item
ONAME	Name 1	ONAME3	Name 3
	-	ONAME2	Name 2
ONAME40	Name (40 Characters)	ONAME_ORG4	BP: Organization Name 4
	-	ONAME_ORG3	BP: Organization Name 3
	-	ONAME_ORG2	BP: Organization Name 2
	-	ONAME_ORG1	BP: Organization Name 1
	-	ONAME_CO	BP: c/o
	-	OBP_SECNAME	BP: Person's Second Surname
	-	OBP_MDLNAME	BP: Person's Middle Name or Second First Name
	-	OBP_LSTNAME	BP: Person's Surname
	-	OBP_GRPNAM2	BP: Name 2 (Group)
	-	OBP_GRPNAM1	BP: Name 1 (Group)
	-	OBP_FSTNAME	BP: Person's First Name
	-	OBP_BTHNAME	BP: Person's Name at Birth
OORGUNIT	Organizational Unit	OCRM_SRVORG	CRM Service Organization
	-	OCRM_SALORG	Sales Organization CRM
	-	OCRM_SALOFF	Sales Office
	-	OCRM_SALGRP	CRM Sales Group
	-	OCRM_MKTORG	Marketing Organization
	-	OCRMSRVTRGP	Executing CRM Service Organization
	-	OBPP_PURORG	Purchasing Organization
	-	OBPP_PURGRP	Purchasing Group
OCUSTOMER	Customer number	OSOLD_TO	Sold-to party
	-	OSHIP_TO	Ship-To Party
	-	ORT_CUSTPL	Customer Number of Plant
	-	OPAYER	Payer
	-	OINT_CUST	Customer Number for Internal Settlement
	-	ODEBITOR	Customer Number
	-	OCUST_HIE03	Customer Hierarchy Level 3

Characteristic	Description	Referencing characteristics	Description (referencing characteristics)
	-	OCUST_HIE02	Customer Hierarchy Level 2
	-	OCUST_HIE01	Customer Hierarchy Level 1
	-	OCOMPETITOR	Competitors
	-	OBILLTOPRTY	Bill-to party
ODATE	Date	OVALIDTO	Valid To
	-	OVALIDFROM	Valid From
	-	OTRNSD_DATE	Transportation planning date
	-	OTCTHIEDATE	Hierarchy, Date Valid to
	-	OTCTERRDAT	Date on which error occurred
	-	OTCTANDAT	Analysis Date for DB Statistics
	-	OTCTADTO	End of Validity of an Authorization
	-	OTCTADFROM	Start of Validity of an Authorization
	-	OTCAVALID	Validity of an Authorization
	-	OST_UP_DTE	Update Date Statistics
	-	OSTAT_DATE	Statistics date
	-	OSO_CR_DTE	Date
	-	OSHIP_DATE	Date of goods arrival at the customer
	-	OSERV_DATE	Date on which services rendered
	-	ORT_LOPDAT	Store Opening Date
	-	ORT_LCLDAT	Closing Date of Store
	-	ORT_LBLDATT	Store Lock Time (to)
	-	ORT_LBLDATF	Store Lock Time (from)
	-	ORT_DATLSTU	Date to Which Listed in the Store
	-	ORT_DATLSTF	Date From Which Listed in the Store
	-	ORT_DATEU	Date to
	-	ORT_DATEF	Date From
	-	OREQ_DATE	Schedule line delivery date
	-	OQUOT_TO	Date until which bid/quotation is binding (valid-to date)
	-	OQUOT_FROM	Quotation validity date (quotation is valid from ...)
	-	OPS_USR9	User Field 9 for Date
	-	OPS_USR10	User Field 10 for Date
	-	OPSTNG_DATE	Posting date in the document
	-	OPRPURDAT	Business Data: Purchase Date
	-	OPRICE_DATE	Date for pricing and exchange rate
	-	OPLD_GI_DTE	Planned Goods Issue Date of a Confirmed Scheule Line
	-	OPH_CREATON	Created on
	-	OPH_CHANGON	Changed On

Characteristic	Description	Referencing characteristics	Description (referencing characteristics)
-		OOPP_TO	Opportunity End
-		OOPP_FROM	Start Opportunity
-		ONETDUEDATE	Due date for net payment
-		OMATAV_DATE	Material availability date
-		OLST_A_GD	Last Actual Goods Issue Date of an Order Item
-		OLST_A_DD	Last Actual Delivery Date of an Order Item
-		OLOAD_DATE	Loading date
-		OLAST_DUNN	Date of last dunning notice
-		OINVOICEDAT	Billing Date
-		OGI_DTECR	Planned Goods Issue Date of Requested Schedule Line
-		OGI_DATE_DH	Goods Issue Date: Delivery Header
-		OGI_DATE	Goods issue date
-		OEVENDDA	Business event end
-		OEVBEGDA	Business event start
-		OENTRYDATE	Entry Date
-		ODSDEL_DATE	Requested delivery date
-		ODSCT_DATE2	Due date for cash discount 2
-		ODSCT_DATE1	Due date for cash discount 1
-		ODOC_DATE	Document Date
-		ODISAB_DATE	Challenge Date
-		ODBTIMSTMP	Timestamp
-		ODBRPTDATE	Report Date
-		ODBFAMUPDT	Family Update Date
-		ODAY_START	Start-Up Date
-		ODATETO	Valid to
-		ODATESYSO	System Status Change Date
-		ODATEIQMS	Change Date: System Status of Appropriation Request
-		ODATEFROM	Valid from
-		ODATEBIRTH	Date of Birth
-		OCRM_PLTO	Planned Date To
-		OCRM_PLFR	Planned Date From
-		OCRM_EXP	Expiration Date
-		OCRM_CUSSIN	CRM: BP Is Customer Since
-		OCRM_ACTO	Actual Date To
-		OCRM_ACFR	Actual Date From
-		OCREATEDON	Date on which the record was created



Characteristic	Description	Referencing characteristics	Description (referencing characteristics)
	-	OCPR_RESOTO	Resolution Date
	-	OCPR_RELON	Release Date
	-	OCPR_DATEND	Finish Date
	-	OCPR_DATBEG	Start Date
	-	OCPR_CREATE	Created On
	-	OCPR_CHON	Changed On
	-	OCONS_DATE	Constraint Date (Date)
	-	OCONF_DATE	Confirmed Delivery Date
	-	OCLEAR_DATE	Clearing date
	-	OCI_KMCRDAT	Key Mapping Creation Date
	-	OCH_ON	Last changed on
	-	OCDM_SCVA	Score Valid To Date
	-	OCDM_SCCO	Change Date for Score
	-	OCDM_RICO	Risk Class Changed On
	-	OCDM_RESO	Resubmission Date
	-	OCDM_LIVA	Credit Limit Valid To Date
	-	OCDM_LICO	Change Date for Credit Limit
	-	OBP_ID_DATE	Business Partner: Entry Date for ID Number
	-	OBPDATETO	GP Attributes Valid to
	-	OBPDATEFROM	GP Attributes Valid from
	-	OBLINE_DATE	Baseline Date For Due Date Calculation
	-	OBIRTHDAY	Date of Birth
	-	OBILL_DATE	Date for invoice/billing index and printout
	-	OBWP_WOM_EX	Expiry Date of Women-Owned Status
	-	OBWP_QSDAT	Validity Date of Certification
	-	OBWP_MIN_EX	Expiry Date of Minority Status
	-	OAP_ENDDATE	End of Appraisal
	-	OAP_DATE	Creation Date of Appraisal
	-	OAP_BEGDATE	Start of Appraisal
	-	OADDATETO	Address Valid To
	-	OADDATEFROM	Address Valid from
	-	OACT_GI_DTE	Actual goods issue date
	-	OACT_DL_DTE	Actual Delivery Date
ODB87SIC1	US 1987 SIC 1	ODB87SIC6	US 1987 SIC 6
	-	ODB87SIC5	US 1987 SIC 5
	-	ODB87SIC4	US 1987 SIC 4
	-	ODB87SIC3	US 1987 SIC 3
	-	ODB87SIC2	US 1987 SIC 2

Characteristic	Description	Referencing characteristics	Description (referencing characteristics)
ODBADDRESS1	Address 1 (physical)	ODBULADDR	Domestic Ultimate: Address
	-	ODBHQADDR	HQ/Parent: Address
	-	ODBGUADDR	Global Ultimate : Address
	-	ODBADDRESS2	Address 2 (physical)
ODBBUSNAME	Business Name	ODBULNAME	Domestic Ultimate: Name
	-	ODBHQNAME	HQ/Parent: Name
	-	ODBGUNAME	Global Ultimate : Name
ODBCNTYCO	County Code	ODBULCNTYC	Domestic Ultimate: County Code
	-	ODBMCNTYCO	Mail Address: County Code
	-	ODBHQCNTYC	HQ/Parent: County Code
	-	ODBGUCNTYC	Global Ultimate : County Code
ODBCONTCOD	Continent Code	ODBMCONTCO	Mail Address: Continent Code
	-	ODBHQCONTC	HQ/Parent: Continent Code
	-	ODBGUCONCO	Global Ultimate : Continent Code
ODBCTRYCOD	Country Code	ODBMCTRYCO	Mail Address: Country Code
	-	ODBHQCTRYC	HQ/Parent: Country Code
	-	ODBGUCTRYC	Global Ultimate : Country Code
ODBCTRYNA	Country Name	ODBMCTRYNA	Mail Address: Country Name
	-	ODBHQCTRYN	HQ/Parent: Country Name
	-	ODBGUCTRYN	Global Ultimate : Country Name
ODBCTYCOD	City Code	ODBULCTYCO	Domestic Ultimate: City Code
	-	ODBMCTYCOD	Mail Address: City Code
	-	ODBHQCTYCO	HQ/Parent: City Code
	-	ODBGUCTYCO	Global Ultimate : City Code
ODBCTYNAM	City Name	ODBULCTYNM	Domestic Ultimate: City Name
	-	ODBMCTYNAM	Mail Address: City Name
	-	ODBHQCTYNM	HQ/Parent: City Name
	-	ODBGUCTYNM	Global Ultimate : City Name
ODBDUNS_NUM	D-U-N-S Number	ODBULDUNS	Domestic Ultimate: DUNS
	-	ODBPREDUN	Previous DUNS
	-	ODBHQDUNS	HQ/Parent: DUNS
	-	ODBGUDUNS	Global Ultimate : DUNS
ODBEMPHIND	Employees Here Indic.	ODBEMPIND	Employees Total Indic.
ODBFILLER1	Filler	ODBFILLER5	Global Ultimate: Filler
	-	ODBFILLER4	Domestic Ultimate: Filler
	-	ODBFILLER3	HQ/Parent: Filler
	-	ODBFILLER2	Filler 2
OPERSON	Person	OSALESEMPY	Sales Representative
OPLANT	Plant	ORT_LOCATIO	Retail location

Characteristic	Description	Referencing characteristics	Description (referencing characteristics)
	-	OPLANPLANT	Maintenance planning plant
	-	OMAINTPANT	Maintenance plant
OPOSTALCODE	BAS: Postal Code	OPOSTCD_GIS	BAS: Postal Code (Geo-Relevant)
	-	OPOSTCD_COM	BAS: Company Postal Code (For Major Customers)
	-	OPOSTCD_BOX	BAS: PO Box Postal Code
OPOS_CHIEF	Position is a Chief Position	OPOS_LIMIT	Indicator: Position is Temporary
OPROD_CATEG	Product Category	OPR_CAT_SAL	Sales Category
	-	OPR_CAT_PUR	Purchase Category
OPROD_HIER	Product hierarchy	OPRODH9	Product hierarchy level 9
	-	OPRODH8	Product hierarchy level 8
	-	OPRODH7	Product hierarchy level 7
	-	OPRODH6	Product hierarchy level 6
	-	OPRODH5	Product hierarchy level 5
	-	OPRODH4	Product hierarchy level 4
	-	OPRODH3	Product hierarchy level 3
	-	OPRODH2	Product hierarchy level 2
	-	OPRODH1	Product hierarchy level 1
OPROFIT_CTR	Profit Center	OPART_PRCTR	Partner profit center
OTCTERRTYP	Type of errors caused by BW objects/Processes	OTCTERRCAU	Type of error caused by BW processes
	-	OTCTDAERR	Type of error in BW data storage
OTCTHIENM	Hierarchy Name	ORSPL_HIENM	Technical Name of Hierarchy
	-	OPCA_HIENM	Standard Hierarchy (Profit Center)
	-	OCCA_HIENM	Standard Hierarchy (Cost Centers)
OTCTHIEVERS	Hierarchy Version	ORSPL_HIEVS	Hierarchy Version
OTCTHOST	Host	OTCTTRXHOST	TREX Host
	-	OTCTAPPLSRV	Application Server
OTCTIOBJNM	InfoObject	OTCTNIOBJNM	InfoObject of Node
OTCTIOBJVAL	Characteristic value	OTCTNODE	Nodes of a Hierarchy
	-	OTCTLOW	Selection Value (Lower Level)
	-	OTCTHIGH	Selection Value (Upper Level)
OTCTPRCSVAR	Process Variant	OTCTIFPAKID	InfoPackage
	-	OTCTDTPID	Data Transfer Process
OTCTREQSID	Data Request (SID)	OTCTLSTTCRQ	Last Technically Correct Request
	-	OTCTLSTQCRCQ	Last Qualitatively Correct Request
	-	OTCTLSTLDRQ	Last Loaded Request
	-	OTCTLSTCPRQ	Last Compressed Request
	-	OTCTLSTAGRQ	Last Aggregated Request

Characteristic	Description	Referencing characteristics	Description (referencing characteristics)
	-	OTCTINSTSID	Process Instance (SID)
OTCTSYSID	BW System	OTCTSSYSID	Source System
OSOURSYSTEM	Source system ID	OPROD_SYST	Source System of Product
	-	OLOG_SYS	Logical System
	-	OGN_R3_SSY	Source System for R/3 Entity
	-	OGN_PRO_SSY	Product Source System
	-	OGN_PAR_SSY	Source System of a Partner
	-	OGN_CAT_SSY	Source System of a Category
	-	OCRM_SYS_PR	Source System of CRM Product
	-	OCI_TO_SSY	Goal of Targeted Key Maps: System ID
	-	OCI_SCAT_SY	Standard Category System ID
	-	OCI_OBJ_SSY	Source System of an Object
	-	OCI_FRO_SSY	Source of Targeted Key Maps: System ID
	-	OBBP_SYS_VD	Source System of Vendor
	-	OBBP_SYS_PR	Source System of Product
OSTREET40	BAS: 40 Character Street Name	OSTR_SUPPL4	BAS: Street 5
	-	OSTR_SUPPL3	BAS: Street 4
	-	OSTR_SUPPL2	BAS: Street 3
	-	OSTR_SUPPL1	BAS: Street 2
OTCTBWOBJCT	BI Object	OTCTTARGET	Target Object
	-	OTCTSTATOBJ	Query Runtime Object, e.g Query/ Web Template/Workbook ...
	-	OTCTSOURCE	Source Object
	-	OTCTPARPROV	PartProvider, used during monitored step
	-	OTCTIFPROV	Used InfoProviders
	-	OTCTERBWOBJ	Erroneous BW Object Name
	-	OTCTDTANM	BW Data Storage name
	-	OTCTDTANAME	Specific Data Target Name
	-	OTCTBISBOBJ	BI Application Object
	-	OTCTBIOBJCT	BI Application
	-	OCB_PAR_IA	Parent InfoArea
	-	OCB_PAR_AC	Parent Application Component
OTCTBWOTYPE	BI Object Type	OTCTTRGTYPE	Target Object Type
	-	OTCTSRCTYP	Source Object Type
	-	OTCTPARTYPE	Type of PartProvider used during monitored step
	-	OTCTIFTYPE	InfoProvider Type
	-	OTCTERBWWTYP	Erroneous BW Object Type
	-	OTCTDTATYPE	Specific Data Target Type

Characteristic	Description	Referencing characteristics	Description (referencing characteristics)
	-	OTCTBISOTYP	BI Application Object Type
	-	OTCTBIOTYPE	BI Application Type
OTCTTIMSTMP	UTC Time Stamp	OTCTLSTCOK	Time Stamp of Last Change of Flag Technically Correct
	-	OTCTLSTSTAT	Time Stamp of Last Change of Status (Errors)
	-	OTCTLSTQLOK	Time Stamp of Last Change of Flag Qualitatively Correct
	-	OTCTLSTLOAD	Time Stamp of Last Loading
	-	OTCTLSTCOMP	Time Stamp of Last Compression
	-	OTCTLSTCHNG	Time Stamp of Last Change
	-	OTCTLSTCHG	Last Changed
	-	OTCTLSTAGGR	Time Stamp of Last Aggregation
	-	OTCTLSTACTV	Time Stamp of Last Activation
	-	OTCTBCTSTMP	Last Changed in Content
	-	ORSPL_TSTMP	Time Stamp of Last Change
	-	ORSPL_CRTST	Creation Time Stamp
	-	OAPO_CRETST	APO Creation Time (TEST)
	-	OAPO_CHGTST	APO Time of Change (TEST)
OTCTUSERNM	User	OTCTTSTPNM	Last Changed By
	-	OTCTOWNER	Person Responsible
OTIME	Time	OTCTUTIME	Time, Query Start (OLAP Statistics)
	-	OLST_A_DT	Last Actual Delivery Time of an Order Item
	-	ODSDEL_TIME	Requested Delivery Time
	-	OCREA_TIME	Time Created
	-	OCL_KMCRTIM	Key Mapping Creation Time
	-	OCH_AT	Last Changed at
	-	OACT_DL_TME	Actual Delivery Time
OUNSPSC	UNSPSC Code	OUNSPSC_SE	Segment of Current UNSPSC Code
	-	OUNSPSC_FA	Family of Current UNSPSC Code
	-	OUNSPSC_CO	Commodity of Current UNSPSC Code
	-	OUNSPSC_CL	Class of Current UNSPSC Code
	-	OUNSPSC_AC	Current UNSPSC Code
OUNSPSC_VS	UNSPSC Code Version	OUNSPSC_AV	Current Version of UNSPSC Code
OUSERNAME	User Name	OPH_CREATBY	Created by
	-	OPH_CHANGBY	Changed By
OVENDOR	Vendor	OMANUFACTOR	Manufacturer
	-	OFORWAGENT	Forw.Agent
	-	OCREDITOR	Account number of supplier/vendor

Characteristic	Description	Referencing characteristics	Description (referencing characteristics)
OWBS_ELEMT	Work Breakdown Structure Element (WBS Element)	OWBS_AS_ELE	WBS Assignment (IM)
	-	OCRM_MKTELE	CRM Marketing Element (R/3 WBS Element)
ORSPL_RESP	User Responsible	ORSPL_AGNT	Processing User
OSALESORG	Sales Organization	ORMA_VKORG	Cost Allocation Sales Organization
OSLDNAME	SLD system ID	OSLDSCAT	Std. category: Origin business system
	-	OSLDCISSCAT	Business system of the CI standard sales category
	-	OSLDCISPCAT	Business system of the CI standard purchasing category
OS_ORD_ITEM	Sales document item	OUP_LVL_ITM	Higher-Level Item
OREGION	Region (State, Province, County)	OPOBOX_REG	BAS: PO Box Region