

Executive Summary

[PSA Management](#)



- 279 objects were found that have green request status.
- 12 objects were found that have yellow request status.
- 3 objects were found that have red request status.

PSA Management

This report shows an estimation of the size of selected PSA tables. It also provides background information about process chains dealing with the PSA tables.

DataSource3x

DATASOURCE	LOGSYS	PSA_TABLE	Approx. result (in MB)	Last request (DataSource)
0ACCNT_GRP_TEXT	T90CLNT090	/BIC/B0000272000	0	-
0ARTICLE_TEXT	T90CLNT090	/BIC/B0000341000	2,72	19.02.2013
0BPARTNER_ATTR	T90CLNT090	/BIC/B0000273000	0	-
0BPARTNER_TEXT	T90CLNT090	/BIC/B0000274000	0	-
0BP_DEF_ADDRESS_ATTR	T90CLNT090	/BIC/B0000275000	0	-
0BP_ID_ATTR	T90CLNT090	/BIC/B0000276000	0	-
0BP_IND_SECTOR_ATTR	T90CLNT090	/BIC/B0000277000	0	19.02.2013
0BP_RELATIONS_470_ATTR	T90CLNT090	/BIC/B0000278000	0	-
0BP_RELATIONS_ATTR	T90CLNT090	/BIC/B0000279000	0	-
0BP_STATUS_ATTR	T90CLNT090	/BIC/B0000280000	0	19.02.2013
0BP_UNAME_46C_ATTR	T90CLNT090	/BIC/B0000281000	0	-
0BP_UNAME_ORGUNIT_ATTR	T90CLNT090	/BIC/B0000282000	0	-
0BUS_AREA_ATTR	T90CLNT090	/BIC/B0000301000	0,01	18.02.2013
0BUS_AREA_TEXT	T90CLNT090	/BIC/B0000302000	0,01	18.02.2013
0COMP_CODE_ATTR	T90CLNT090	/BIC/B0000295000	0,02	18.02.2013
0COMP_CODE_TEXT	T90CLNT090	/BIC/B0000296000	0,04	18.02.2013
0COSTCENTER_ATTR	T90CLNT090	/BIC/B0000303000	0,57	18.02.2013
0COSTCENTER_TEXT	T90CLNT090	/BIC/B0000304000	0,31	18.02.2013
0COUNTRY_TEXT	T90CLNT090	/BIC/B0000283000	0,06	19.02.2013
0CO_AREA_ATTR	T90CLNT090	/BIC/B0000305000	0,01	18.02.2013
0CO_AREA_TEXT	T90CLNT090	/BIC/B0000306000	0,01	18.02.2013
0CSM_USER_TEXT	N73CLNT123	/BIC/B0000416000	0	-
0CSM_USER_TEXT	T90CLNT090	/BIC/B0000417000	0	-
0CURTYPE_TEXT	T90CLNT090	/BIC/B0000358000	0	19.02.2013
0CUSTOMER_ATTR	T90CLNT090	/BIC/B0000284000	15,92	18.02.2013
0CUSTOMER_TEXT	T90CLNT090	/BIC/B0000285000	1,26	18.02.2013
0DPR_APPROVAL_TEXT	T90CLNT090	/BIC/B0000307000	0	-
0DPR_CHECKLIST_ITEM_TEXT	T90CLNT090	/BIC/B0000308000	0	-
0DPR_CHECKLIST_TEXT	T90CLNT090	/BIC/B0000309000	0	-
0DPR_HIERARCHY_ATTR	T90CLNT090	/BIC/B0000310000	4,62	18.02.2013
0DPR_PART_TEXT	T90CLNT090	/BIC/B0000311000	0	-
0DPR_PHASE_TEXT	T90CLNT090	/BIC/B0000312000	0	-
0DPR_PROJECT_TEXT	T90CLNT090	/BIC/B0000313000	0	-
0DPR_TASK_TEXT	T90CLNT090	/BIC/B0000314000	0	-

DATASOURCE	LOGSYS	PSA_TABLE	Approx. result (in MB)	Last request (DataSource)
0EMPLOYEE_0016_ATTR	T90CLNT090	/BIC/B0000418000	0	-
0EMPLOYEE_0077_ATTR	T90CLNT090	/BIC/B0000419000	0	-
0EMPLOYEE_0763_ATTR	T90CLNT090	/BIC/B0000420000	0	-
0EMPLOYEE_ATTR	T90CLNT090	/BIC/B0000421000	0	-
0EMPLOYEE_ATTR_CE	T90CLNT090	/BIC/B0000422000	0	-
0EMPLOYEE_ID_ATTR	T90CLNT090	/BIC/B0000423000	0	-
0EMPLOYEE_TEXT	T90CLNT090	/BIC/B0000424000	0	-
0EMPLOYEE_USER_ATTR	T90CLNT090	/BIC/B0000425000	0	-
0EN_ORGADAT_ATTR	T90CLNT090	/BIC/B0000426000	0	-
0EN_ORGAPV_TEXT	T90CLNT090	/BIC/B0000427000	0	-
0EN_ORGJVP_ATTR	T90CLNT090	/BIC/B0000428000	0	-
0FSCM_CM_1	T90CLNT090	/BIC/B0000286000	0	-
0HC_MATERIA_ATTR	T90CLNT090	/BIC/B0000362000	0	-
0HRPOSITION_ATTR	T90CLNT090	/BIC/B0000429000	0	-
0HRPOSITION_CCTR_ATTR	T90CLNT090	/BIC/B0000430000	0	-
0HRPOSITION_TEXT	T90CLNT090	/BIC/B0000431000	0	-
0HRPOSITION_TM_ATTR	T90CLNT090	/BIC/B0000432000	0	-
0HR_OTYPEOBJECT_TEXT	T90CLNT090	/BIC/B0000433000	0	-
0HR_OTYPE_TEXT	T90CLNT090	/BIC/B0000434000	0	-
0HR_PA_2	T90CLNT090	/BIC/B0000435000	0,85	09.08.2013
0HR_PA_3	T90CLNT090	/BIC/B0000436000	0	-
0HR_PA_OS_1	T90CLNT090	/BIC/B0000437000	0	-
0IM_CORPOR_TEXT	T90CLNT090	/BIC/B0000315000	0	-
0IM_FA_IP_9	T90CLNT090	/BIC/B0000316000	0	-
0INV_REASON_TEXT	T90CLNT090	/BIC/B0000317000	0	-
0MATERIAL_TEXT	T90CLNT090	/BIC/B0000342000	2,72	19.02.2013
0MATL_GROUP_TEXT	T90CLNT090	/BIC/B0000343000	0	-
0ORGUNIT_ATTR	T90CLNT090	/BIC/B0000438000	0	-
0ORGUNIT_ATTR_LEAVER_NOS	T90CLNT090	/BIC/B0000439000	0	-
0ORGUNIT_TEXT	T90CLNT090	/BIC/B0000440000	0	-
0PERSON_ATTR	T90CLNT090	/BIC/B0000299000	0	18.02.2013
0PERSON_TEXT	T90CLNT090	/BIC/B0000300000	0	18.02.2013
0PLANT_ATTR	T90CLNT090	/BIC/B0000287000	0,03	18.02.2013
0PLANT_TEXT	T90CLNT090	/BIC/B0000288000	0,03	18.02.2013
0PROD_CATEG_APPL_TEXT	T90CLNT090	/BIC/B0000344000	0	-
0PROD_CATEG_ATTR	T90CLNT090	/BIC/B0000345000	0	19.02.2013
0PROD_CATEG_R3_MAP_ATTR	T90CLNT090	/BIC/B0000361000	0	19.02.2013
0PROD_CATEG_TEXT	T90CLNT090	/BIC/B0000346000	0	19.02.2013
0PROFIT_CTR_ATTR	T90CLNT090	/BIC/B0000318000	0,07	19.02.2013

DATASOURCE	LOGSYS	PSA_TABLE	Approx. result (in MB)	Last request (DataSource)
OPROFIT_CTR_TEXT	T90CLNT090	/BIC/B0000319000	0,06	19.02.2013
OPROG_DEF_S_ATTR	T90CLNT090	/BIC/B0000320000	0	-
OPROG_DEF_S_TEXT	T90CLNT090	/BIC/B0000321000	0	-
OPROG_POS_ATTR	T90CLNT090	/BIC/B0000322000	0	-
OPROG_POS_TEXT	T90CLNT090	/BIC/B0000323000	0	-
OPROJECT_ATTR	T90CLNT090	/BIC/B0000324000	0	-
OPROJECT_TEXT	T90CLNT090	/BIC/B0000325000	0	-
OPR_COM_COMMERCIAL_ATTR	T90CLNT090	/BIC/B0000348000	0	-
OPR_IL_PROREF_ATTR	T90CLNT090	/BIC/B0000349000	0	-
OPR_OBJECT_FAMILY_TEXT	T90CLNT090	/BIC/B0000350000	0	-
OPR_PROD_VAR_ATTR	T90CLNT090	/BIC/B0000351000	0	-
OPR_SALES_CATEG_ATTR	T90CLNT090	/BIC/B0000352000	0	-
OPS_APPLNO_TEXT	T90CLNT090	/BIC/B0000326000	0	-
OPS_PRJTYPE_TEXT	T90CLNT090	/BIC/B0000327000	0	-
OPS_RESPNO_TEXT	T90CLNT090	/BIC/B0000328000	0	-
OPURCH_ORG_TEXT	T90CLNT090	/BIC/B0000364000	0	-
OREC_TYPE_TEXT	T90CLNT090	/BIC/B0000360000	0	19.02.2013
OREGION_TEXT	T90CLNT090	/BIC/B0000289000	0,49	19.02.2013
ORT_ORGUNIT_ATTR	T90CLNT090	/BIC/B0000441000	0	-
OSALESORG_ATTR	T90CLNT090	/BIC/B0000297000	0,01	18.02.2013
OSALES_OFF_TEXT	T90CLNT090	/BIC/B0000298000	0,01	18.02.2013
OSCOPE_TEXT	T90CLNT090	/BIC/B0000329000	0	-
OSERVICE_ATTR	T90CLNT090	/BIC/B0000353000	0,05	19.02.2013
OSERVICE_TEXT	T90CLNT090	/BIC/B0000354000	0	-
OSTATUSSYS0_TEXT	T90CLNT090	/BIC/B0000330000	0	-
OTCTACOMPM_TEXT	N73CLNT123	/BIC/B0000442000	0	-
OTCTACOMPM_TEXT	T90CLNT090	/BIC/B0000443000	0	-
OTCTAPPL	N73CLNT123	/BIC/B0000141000	0,00397219463753724	-
OTCTATYPE_TEXT	N73CLNT123	/BIC/B0000444000	0	-
OTCTATYPE_TEXT	T90CLNT090	/BIC/B0000445000	0	-
OTCTBWOBJCT_ATTR	N73CLNT123	/BIC/B0000142000	110,891757696127	05.12.2015
OTCTBWOBJCT_TEXT	N73CLNT123	/BIC/B0000143000	118,955312810328	05.12.2015
OTCTBWOSTYP_TEXT	N73CLNT123	/BIC/B0000144000	0,00397219463753724	-
OTCTBWOTYPE_TEXT	N73CLNT123	/BIC/B0000145000	0,00397219463753724	03.06.2011
OTCTDATATYP_TEXT	N73CLNT123	/BIC/B0000146000	0,00397219463753724	-
OTCTDSOURC_ATTR	N73CLNT123	/BIC/B0000147000	0,00397219463753724	-
OTCTDSOURC_TEXT	N73CLNT123	/BIC/B0000148000	0,00397219463753724	-
OTCTERRTYP_TEXT	N73CLNT123	/BIC/B0000149000	0,0476663356504469	05.12.2015
OTCTIFAREA	N73CLNT123	/BIC/B0000150000	0,00397219463753724	-

DATASOURCE	LOGSYS	PSA_TABLE	Approx. result (in MB)	Last request (DataSource)
OTCTIGRID	N73CLNT123	/BIC/B0000151000	0,00397219463753724	-
OTCTIGRID_TEXT	N73CLNT123	/BIC/B0000152000	0,00397219463753724	-
OTCTIOBJNM	N73CLNT123	/BIC/B0000446000	0	-
OTCTIOBJNM	T90CLNT090	/BIC/B0000447000	0	-
OTCTIOBJNM_TEXT	N73CLNT123	/BIC/B0000448000	0	-
OTCTIOBJNM_TEXT	T90CLNT090	/BIC/B0000449000	0	-
OTCTIOBJTP_TEXT	N73CLNT123	/BIC/B0000450000	0	-
OTCTIOBJTP_TEXT	T90CLNT090	/BIC/B0000451000	0	-
OTCTIPAKID	N73CLNT123	/BIC/B0000153000	0,00397219463753724	-
OTCTIPAKID_TEXT	N73CLNT123	/BIC/B0000154000	0,00397219463753724	-
OTCTISOURC	N73CLNT123	/BIC/B0000155000	0,00397219463753724	-
OTCTISOURC_TEXT	N73CLNT123	/BIC/B0000156000	0,00397219463753724	-
OTCTOBJVERS_TEXT	N73CLNT123	/BIC/B0000157000	0,00397219463753724	-
OTCTOBJVERS_TEXT	T90CLNT090	/BIC/B0000452000	0	-
OTCTOPTION_TEXT	N73CLNT123	/BIC/B0000453000	0	-
OTCTOPTION_TEXT	T90CLNT090	/BIC/B0000454000	0	-
OTCTPRCSCHN_ATTR	N73CLNT123	/BIC/B0000158000	3,3604766633565	05.12.2015
OTCTPRCSCHN_TEXT	N73CLNT123	/BIC/B0000159000	7,61072492552135	05.12.2015
OTCTPRCSTAT_TEXT	N73CLNT123	/BIC/B0000160000	0,00397219463753724	03.06.2011
OTCTPRCSTYP_TEXT	N73CLNT123	/BIC/B0000161000	0,0317775571002979	03.06.2011
OTCTPRCSVAR_ATTR	N73CLNT123	/BIC/B0000162000	17,9304865938431	05.12.2015
OTCTPRCSVAR_TEXT	N73CLNT123	/BIC/B0000163000	38,1092353525323	05.12.2015
OTCTQUERID	N73CLNT123	/BIC/B0000455000	0	-
OTCTQUERID	T90CLNT090	/BIC/B0000456000	0	-
OTCTQUERID_TEXT	N73CLNT123	/BIC/B0000457000	0	-
OTCTQUERID_TEXT	T90CLNT090	/BIC/B0000458000	0	-
OTCTREQUID_ATTR	N73CLNT123	/BIC/B0000164000	0,00397219463753724	-
OTCTSIGN_TEXT	N73CLNT123	/BIC/B0000459000	0	-
OTCTSIGN_TEXT	T90CLNT090	/BIC/B0000460000	0	-
OTCTSOURSYS_ATTR	N73CLNT123	/BIC/B0000165000	0,00397219463753724	-
OTCTSOURSYS_TEXT	N73CLNT123	/BIC/B0000166000	0,00397219463753724	-
OTCTSRACTYPE_TEXT	N73CLNT123	/BIC/B0000167000	0,00397219463753724	-
OTCTSUBSTEP_ATTR	N73CLNT123	/BIC/B0000168000	0,00397219463753724	-
OTCTSUBSTEP_TEXT	N73CLNT123	/BIC/B0000169000	0,00397219463753724	-
OTCTSYSID	N73CLNT123	/BIC/B0000170000	0,00397219463753724	05.12.2015
OTCTSYSID	T90CLNT090	/BIC/B0000461000	0	-
OTCTSYSID_TEXT	N73CLNT123	/BIC/B0000171000	0,00397219463753724	05.12.2015
OTCTSYSID_TEXT	T90CLNT090	/BIC/B0000462000	0	-
OTCTUPDMOD_TEXT	N73CLNT123	/BIC/B0000172000	0,00397219463753724	-

DATASOURCE	LOGSYS	PSA_TABLE	Approx. result (in MB)	Last request (DataSource)
OTCTUSERNM	N73CLNT123	/BIC/B0000173000	0,00397219463753724	05.12.2015
OTCTUSERNM	T90CLNT090	/BIC/B0000365000	0	-
OTCTUSERNM_TEXT	N73CLNT123	/BIC/B0000174000	0,00397219463753724	05.12.2015
OTCTUSERNM_TEXT	T90CLNT090	/BIC/B0000366000	0	-
OTCTWHMACT_TEXT	N73CLNT123	/BIC/B0000175000	0,00397219463753724	-
OTCTWHMMAN_TEXT	N73CLNT123	/BIC/B0000176000	0,00397219463753724	-
OTCTWHMTFM_TEXT	N73CLNT123	/BIC/B0000177000	0,00397219463753724	-
OTCT_DS01	N73CLNT123	/BIC/B0000178000	0,00397219463753724	07.12.2015
OTCT_DS02	N73CLNT123	/BIC/B0000179000	6,19662363455809	14.08.2015
OTCT_DS03	N73CLNT123	/BIC/B0000180000	0,015888778550149	14.08.2015
OTCT_DS11	N73CLNT123	/BIC/B0000181000	0,00397219463753724	-
OTCT_DS12	N73CLNT123	/BIC/B0000182000	0,00397219463753724	-
OTCT_DS21	N73CLNT123	/BIC/B0000183000	0,365441906653426	07.12.2015
OTCT_DS22	N73CLNT123	/BIC/B0000184000	7,05461767626614	08.12.2015
OTCT_DS23	N73CLNT123	/BIC/B0000185000	0,00397219463753724	-
OTCT_DSA1	N73CLNT123	/BIC/B0000186000	0,00397219463753724	-
OUC_DEVCAT_ATTR	T90CLNT090	/BIC/B0000355000	0	-
OUSAGE_IND_TEXT	T90CLNT090	/BIC/B0000290000	0	-
OVALUATION_TEXT	T90CLNT090	/BIC/B0000359000	0	19.02.2013
OVENDOR_ATTR	T90CLNT090	/BIC/B0000291000	0	-
OVENDOR_TEXT	T90CLNT090	/BIC/B0000292000	0	-
OVERSION_TEXT	T90CLNT090	/BIC/B0000356000	0,02	19.02.2013
OVTTYPE_TEXT	T90CLNT090	/BIC/B0000357000	0	19.02.2013
OWBS_ELEMT_ATTR	T90CLNT090	/BIC/B0000331000	0,96	18.02.2013
OWBS_ELEMT_TEXT	T90CLNT090	/BIC/B0000332000	0,41	18.02.2013
OWBS_ELEMT_USR_ATTR	T90CLNT090	/BIC/B0000333000	0	-
OWS_TAROBJ_ATTR	T90CLNT090	/BIC/B0000293000	0	-
OWS_TAROBJ_TEXT	T90CLNT090	/BIC/B0000367000	0	-
80BP_ID	N73CLNT123	/BIC/B0000269000	0	-
80BP_REL	N73CLNT123	/BIC/B0000270000	0	-
80CI_KMCA1	N73CLNT123	/BIC/B0000334000	0	-
80CI_KMPR1	N73CLNT123	/BIC/B0000335000	0	-
80COPA_C02	N73CLNT123	/BIC/B0000241000	0,00397219463753724	-
80FIAR_O03	N73CLNT123	/BIC/B0000260000	0	-
80MDMPRCAT	N73CLNT123	/BIC/B0000336000	0	-
80PA_C01	N73CLNT123	/BIC/B0000242000	0,00397219463753724	-
80PA_DS02	N73CLNT123	/BIC/B0000414000	0	-
80PA_DS03	N73CLNT123	/BIC/B0000415000	0	-
80PA_DS04	N73CLNT123	/BIC/B0000238000	0,00397219463753724	-

DATASOURCE	LOGSYS	PSA_TABLE	Approx. result (in MB)	Last request (DataSource)
80PA_DS05	N73CLNT123	/BIC/B0000239000	0,00397219463753724	-
80PA_DS12	N73CLNT123	/BIC/B0000240000	0,00397219463753724	-
80PERS_BOD	N73CLNT123	/BIC/B0000233000	0,00397219463753724	-
80PERS_VAR	N73CLNT123	/BIC/B0000234000	0,00397219463753724	-
80PERS_WTE	N73CLNT123	/BIC/B0000235000	0,00397219463753724	-
80RSPL_AGS	N73CLNT123	/BIC/B0000103000	0,00397219463753724	-
80RSPL_AST	N73CLNT123	/BIC/B0000104000	0,00397219463753724	-
80RSPL_CST	N73CLNT123	/BIC/B0000105000	0,00397219463753724	-
80RSPL_HST	N73CLNT123	/BIC/B0000106000	0,00397219463753724	-
80RSPL_LCK	N73CLNT123	/BIC/B0000107000	0,00397219463753724	-
80RSPL_PLC	N73CLNT123	/BIC/B0000108000	0,00397219463753724	-
80RSPL_PSS	N73CLNT123	/BIC/B0000109000	0,00397219463753724	-
80RSPL_SEL	N73CLNT123	/BIC/B0000110000	0,00397219463753724	-
80RSPL_SPS	N73CLNT123	/BIC/B0000111000	0,00397219463753724	-
80SD_O01	N73CLNT123	/BIC/B0000384000	0	-
80SD_O03	N73CLNT123	/BIC/B0000380000	0	-
80SD_O04	N73CLNT123	/BIC/B0000387000	0	-
80SD_O05	N73CLNT123	/BIC/B0000398000	0	-
80TCTHP240	N73CLNT123	/BIC/B0000112000	0,00397219463753724	-
8CRDS1	N73CLNT123	/BIC/B0000467000	0	-
8Z1CO010	N73CLNT123	/BIC/B0000258000	0	-
8Z1FI060	N73CLNT123	/BIC/B0000412000	0	-
8Z1SD010	N73CLNT123	/BIC/B0000381000	2,72	-
8Z1SD020	N73CLNT123	/BIC/B0000385000	20,71	-
8Z1SD030	N73CLNT123	/BIC/B0000388000	24,39	-
8Z1SD040	N73CLNT123	/BIC/B0000391000	0,83	-
8Z1SD050	N73CLNT123	/BIC/B0000392000	1,79	-
8Z1SD060	N73CLNT123	/BIC/B0000393000	12,29	-
8Z1SD070	N73CLNT123	/BIC/B0000395000	19,16	-
8Z1SD080	N73CLNT123	/BIC/B0000399000	78,53	-
8Z1SD090	N73CLNT123	/BIC/B0000401000	7,35	-
8Z5CO010	N73CLNT123	/BIC/B0000262000	92,37	-
8ZMHZTEST	N73CLNT123	/BIC/B0000251000	0,00397219463753724	-
8ZRECA01	N73CLNT123	/BIC/B0000463000	0	-
8ZRECA02	N73CLNT123	/BIC/B0000464000	0	-
8ZRECA03	N73CLNT123	/BIC/B0000465000	0	-
8ZRECA04	N73CLNT123	/BIC/B0000466000	0	-
8ZSPDSO00	N73CLNT123	/BIC/B0000482000	0	-
8ZSPDSO01	N73CLNT123	/BIC/B0000483000	0	-

DATASOURCE	LOGSYS	PSA_TABLE	Approx. result (in MB)	Last request (DataSource)
8ZSPDSO02	N73CLNT123	/BIC/B0000484000	0	-
8ZSPDSO03	N73CLNT123	/BIC/B0000485000	0	-
8ZTESTIA	N73CLNT123	/BIC/B0000495000	0	-
8ZTRDSO1	N73CLNT123	/BIC/B0000480000	0	-
8ZTRDSO2	N73CLNT123	/BIC/B0000481000	0	-
8ZWODSO1	N73CLNT123	/BIC/B0000490000	0	-
8ZXFQRYD1	N73CLNT123	/BIC/B0000491000	0	-
8ZXFQRYD2	N73CLNT123	/BIC/B0000493000	0	-
8Z_HYBP10	N73CLNT123	/BIC/B0000236000	0,00397219463753724	-
8Z_SPO100	N73CLNT123	/BIC/B0000244000	0,00397219463753724	-
8Z_SPO101	N73CLNT123	/BIC/B0000245000	0,00397219463753724	-
8Z_SPO102	N73CLNT123	/BIC/B0000246000	0,00397219463753724	-
8Z_SPODSO	N73CLNT123	/BIC/B0000243000	0,00397219463753724	-

DataSource7x

DATASOURCE	LOGSYS	PSA_TABLE	Approx. result (in MB)	Last request (DataSource)
OARTICLE_ATTR	T90CLNT090	/BIC/B0000337000	28,61	19.02.2013
OCOMP_CODE_MAT_ATTR	T90CLNT090	/BIC/B0000294000	0,03	19.02.2013
OMATERIAL_ATTR	T90CLNT090	/BIC/B0000338000	26,52	03.04.2013
OPRODUCT_ATTR	T90CLNT090	/BIC/B0000339000	0	19.02.2013
OPRODUCT_TEXT	T90CLNT090	/BIC/B0000340000	0	19.02.2013
OPROD_HIER_TEXT	T90CLNT090	OPROD_HIER_TEXT_NB000	0	03.04.2013
ORT_COUNTY_TEXT	T90CLNT090	/BIC/B0000363000	0,12	19.02.2013
ORT_WRF1_ATTR	T90CLNT090	/BIC/B0000271000	0	19.02.2013
OTCTAPPL_HIER	N73CLNT123	/BIC/B0000113000	0,00397219463753724	05.12.2015
OTCTAPPL_HIER	N73CLNT123	/BIC/B0000114000	0,0119165839126117	05.12.2015
OTCTAPPL_HIER	N73CLNT123	/BIC/B0000115000	0,333664349553128	05.12.2015
OTCTAPPL_HIER	N73CLNT123	/BIC/B0000116000	0,00397219463753724	05.12.2015
OTCTAPPL_TEXT	N73CLNT123	/BIC/B0000117000	6,83614697120159	05.12.2015
OTCTCACTYP_TEXT	N73CLNT123	/BIC/B0000118000	0,00397219463753724	25.09.2015
OTCTDTCLASS_TEXT	N73CLNT123	/BIC/B0000119000	0,0119165839126117	03.06.2011
OTCTERCAUSE_TEXT	N73CLNT123	/BIC/B0000120000	0,0278053624627607	05.12.2015
OTCTIFAREA_HIER	N73CLNT123	/BIC/B0000121000	0,00397219463753724	05.12.2015
OTCTIFAREA_HIER	N73CLNT123	/BIC/B0000122000	0,0119165839126117	05.12.2015
OTCTIFAREA_HIER	N73CLNT123	/BIC/B0000123000	0,174776564051639	05.12.2015
OTCTIFAREA_HIER	N73CLNT123	/BIC/B0000124000	0,00397219463753724	05.12.2015
OTCTIFAREA_TEXT	N73CLNT123	/BIC/B0000125000	10,7487586891758	05.12.2015
OTCTOLAP_DM_TEXT	N73CLNT123	/BIC/B0000126000	0,0198609731876862	05.12.2015

DATASOURCE	LOGSYS	PSA_TABLE	Approx. result (in MB)	Last request (DataSource)
OTCTPRCSCHN_HIER	N73CLNT123	/BIC/B0000127000	0,00397219463753724	-
OTCTPRCSCHN_HIER	N73CLNT123	/BIC/B0000128000	0,00397219463753724	-
OTCTPRCSCHN_HIER	N73CLNT123	/BIC/B0000129000	0,00397219463753724	-
OTCTPRCSCHN_HIER	N73CLNT123	/BIC/B0000130000	0,00397219463753724	-
OTCTTABCAT_TEXT	N73CLNT123	/BIC/B0000131000	0,0119165839126117	03.06.2011
OTCT_DS05	N73CLNT123	/BIC/B0000132000	0,00397219463753724	08.12.2015
OTCT_DS06	N73CLNT123	/BIC/B0000133000	0,00397219463753724	-
OTCT_DS07	N73CLNT123	/BIC/B0000134000	0,00397219463753724	-
OTCT_DS14	N73CLNT123	/BIC/B0000135000	0,00397219463753724	-
OTCT_DS15	N73CLNT123	/BIC/B0000136000	0,00397219463753724	-
OTCT_DS24	N73CLNT123	/BIC/B0000137000	0,00397219463753724	08.12.2015
OTCT_DS25	N73CLNT123	/BIC/B0000138000	2,83217477656405	11.02.2012
OTCT_DS31	N73CLNT123	/BIC/B0000139000	0,00397219463753724	08.12.2015
OTCT_DS32	N73CLNT123	/BIC/B0000140000	0,00397219463753724	08.12.2015
1_CO_PA_IDEA_C	T90CLNT090	/BIC/B0000257000	220,32	18.01.2013
1_CO_PA_IDES1	T90CLNT090	/BIC/B0000254000	0	28.02.2014
2LIS_11_VAHDR	T90CLNT090	/BIC/B0000371000	0	14.08.2015
2LIS_11_VAITM	T90CLNT090	/BIC/B0000374000	0	24.03.2013
2LIS_11_VAKON	T90CLNT090	/BIC/B0000373000	0	24.03.2013
2LIS_11_VASCL	T90CLNT090	/BIC/B0000377000	0	24.03.2013
2LIS_11_VASTH	T90CLNT090	/BIC/B0000372000	0	24.03.2013
2LIS_11_VASTI	T90CLNT090	/BIC/B0000375000	0	24.03.2013
2LIS_11_V_ITM	T90CLNT090	/BIC/B0000378000	0	24.03.2013
2LIS_11_V_SCL	T90CLNT090	/BIC/B0000379000	0	24.03.2013
2LIS_11_V_SSL	T90CLNT090	/BIC/B0000376000	0	24.03.2013
ZANSD_PROD_ATTRIBUTES	PC_FILE	/BIC/B0000469000	0	06.06.2014
ZANSD_PROD_TEXTS	PC_FILE	/BIC/B0000470000	0	06.06.2014
ZANSD_SALES	PC_FILE	/BIC/B0000471000	0,01	06.06.2014
ZTEST_DS	N73CLNT123	/BIC/B0000252000	0	-
ZWSTESTDS	ZWEBTEST	/BIC/B0000249000	0,00397219463753724	-